	L #	Hits	Search Text	DBs
1	L1	1242	di\$4yleneglycol or tri\$4yleneglycol) adj (mono\$4yl or alkyl or methyl or ethyl or butyl or propyl) adj ether adj acetate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	14/4/	ICTS4VTERECTVCCT OF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L5	5	oil) adi base\$2 or oilv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L8	57	7 and acid adj (value or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L9	330	7 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L10	188	(1 2) same acrylic same (pigment or carbon adj	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
7	L11	55	10 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L12	2036	5 and (weight adj average adj molecular adj weight	1
9	L13 .	975	12 and (number adj average adj molecular adj weight or mn! or "m.sub.n")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L14	226	or mw! adj2 "m.sub.n" or mw! adj2 mn! or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L15	313	5 and (weight adj average adj molecular adj weight or mw! or "m.sub.w") same (number adj average adj molecular adj weight or mn! or "m.sub.n")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	L16	114	15 not 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
13	L17	2	("6468341").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L18	1	17 and acrylic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	L19	2044	((523/160) or (523/161)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	L20	138	(1 2) and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	L21	69	13 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	L22	169	19 and (mw?mn or "m.sub.w" adj2 "m.sub.n" or mw! adj2 mn! or polydispersity or molecular adj weight adj distribution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
19	L23			US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	L24	ļ		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L25	0	same (weight adi average	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	L26	1	adj weight or mw! or "m.sub.w") same (number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	L27	ŀ	carboset\$4 with "527" or neocryl\$5 with b "890"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
24	L29	1	27 same (number adj average adj molecular adj weight or "m.sub.n")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	L30			US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	L31	1	average adj molecular adj	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	L32	56	or "m.sub.w" adj2 "m.sub.n" or mw! adj2 mn! or polydispersity or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	L33	2	("6245832").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	L34	13	"56583/6" "5686508"	US-PGPUB; USPAT; USOCR

	L #	Hits	Search Text	DBs
30	L35	1	or mw! adj2 "m.sub.n" or mw! adj2 mn! or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	L7	387	(1 2) and 5 and acrylic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	L36	23	elvacite with "2008" with	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	L37	2	("20050272833").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	L38	1	37 and elvacite\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	L39	0	(number adj average adj	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
36	L41	0	"m.sub.n" or mw! adj2 mn! or polydispersity or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	L40	12	elvacite with "2008" same (weight adj average adj molecular adj weight or mw! or "m.sub.w")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	L42	271	(1 2) and 5 and acrylic adj acid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	L43	7	elvacite with "2008" and (mw?mn or "m.sub.w" adj2 "m.sub.n" or mw! adj2 mn! or polydispersity or molecular adj weight adj distribution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	L44	8	(inkjet or ink near3 jet) and styrene adj acrylic adj acid same (mw?mn or "m.sub.w" adj2 "m.sub.n" or mw! adj2 mn! or polydispersity or molecular adj weight adj distribution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
41	L45	12	(inkjet or ink near3 jet) and styrene adj acrylic adj acid same (weight adj average adj molecular adj weight or mw! or "m.sub.w") same (number adj average adj molecular adj weight or mn! or "m.sub.n")	USPAT; USOCR; EPO; JPO; DERWENT;
42	L46	4	(("5085698") or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	L47		46 and (weight adj average adj molecular adj weight or mw! or "m.sub.w") and (number adj average adj molecular adj weight or mn! or "m.sub.n")	USPAT; USOCR; EPO; JPO; DERWENT;
44	L48	601	5 and solvent with high	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	L49	63		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	L50	281	48 and acrylic adj acid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
47	L51	45		EPO; JPO; DERWENT
48	L52	13	(1 2) and 5	EPO; JPO; DERWENT
49	L53	2	("20050272833").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	L54	2	53 and pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	L55	0	elvacite with "2008" near10 (acid adj (number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	L56	0	elvacite with "2008" same (acid adj (number or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	L57	12	elvacite with "2008" same	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	L58	1	53 and eb!	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
55	L59	2	("20050203209").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	L60	1	59 and water adj insoluble	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	L61	1111/5	dispersion adj average adj particle adj size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	L62	42	5 and 61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	L63		5 and pigment near5 (average or mean) near5 (size or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	L64	52	63 and (1 2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L3	1	triethyleneglycol or propyleneglycol or dipropyleneglycol or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L5	30	(1 2 4) and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L6	358	(ethylene or diethylene or triethylene or propylene or dipropylene or tripropylene) adj glycol near5 di\$4yl adj ester	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L7	31	triethyleneglycol or propyleneglycol or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L8	11	triethyleneglycol or propyleneglycol or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L9	56	or triethylene or propylene	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
7	L10	72	(6 7 8 9) and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L4	6	(ethylene or diethylene or triethylene or propylene or dipropylene or tripropylene) adj glycol adj2 di\$4ylester	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L2	19	(ethyleneglycol or diethyleneglycol or triethyleneglycol or propyleneglycol or dipropyleneglycol or tripropyleneglycol) adj2 di\$4yl adj ester	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L1	143	(ethylene or diethylene or triethylene or propylene or dipropylene or tripropylene) adj glycol adj2 di\$4yl adj ester	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	191	(di\$4ylene or tri\$4ylene or \$4ylene) adj glycol adj2 di\$4yl adj ester	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	L12	557	ink and high adj boiling near5 solvent	EPO; JPO; DERWENT; IBM_TDB
13	L13	134114	ink and high adj boiling near5 solvent neear5 ester	EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
14	L14	1/ 3	ink and high adj boiling near5 solvent near5 ester	EPO; JPO; DERWENT; IBM_TDB
15	L15	0	triethyleneglycol or propyleneglycol or dipropyleneglycol or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	L16	9	or triethylene or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	L17	l	(di\$4ylene or tri\$4ylene or \$4ylene) adj glycol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	L18	1	triethyleneglycol or propyleneglycol or dipropyleneglycol or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	L19	10	(16 17 18)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
20	L20	0	(ethylene or diethylene or triethylene or propylene or dipropylene or tripropylene or tripropylene) adj glycol adj2 (mono\$4yl or alkyl or ethyl or methyl or propyl or butyl) adj ether adj2 (mono\$4yl or alkyl or ethyl or methyl or propyl or butyl) adj ester	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L21	0	(ethylene or diethylene or triethylene or propylene or dipropylene or tripropylene) adj glycol adj2 (mono\$4yl or alkyl or ethyl or methyl or propyl or butyl) adj ether adj2 (mono\$4yl or alkyl or ethyl or methyl or propyl or butyl) adj acetate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	L22		(di\$4ylene or tri\$4ylene or \$4ylene) adj2 glycoldi\$4ylester	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	L25	0	(ethyleneglycol or diethyleneglycol or triethyleneglycol or propyleneglycol or dipropyleneglycol or tripropyleneglycol) adj2 di\$4ylester	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
24	L23	i .	(di\$4ylene or tri\$4ylene or \$4ylene) adj2 glycol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	L24	1	(di\$4ylene or tri\$4ylene	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	L26	14 ノムん	or \$4ylene) adj2 glycol near3 (di\$4ylester or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	L27	66	(di\$4yleneglycol or tri\$4yleneglycol or \$4yleneglycol) adj2 glycol near3 (di\$4ylester or di\$4yl adj ester or ester)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	L28	1	27 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	L29	831	(di\$4ylene or tri\$4ylene or \$4ylene) adj glycol near3 (di\$4ylester or di\$4yl adj ester)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
30	L30	0	adj (mono\$4yl or alkyl or methyl or ethyl or butyl or propyl) adi ether adi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	L31	4	adj (mono\$4yl or alkyl or methyl or ethyl or butyl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	L32 ,	89	29 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	L33	7	29.clm. and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	L34	2	("5980624").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	L35	11 1 9 3	adj (mono\$4yl or alkyl or methyl or ethyl or butyl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
36	L36	127	35 near10 (structure or formula)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	L37	5	(nonaqueous or non adj aqueous or (solvent or oil) adj base\$2 or oily) near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	L38	1193 4	(di\$4ylene or tri\$4ylene or \$4ylene) adj glycol adj (mono\$4yl or alkyl or methyl or ethyl or butyl or propyl) adj ether adj acetate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	L39		1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	L40	249	(di\$4yleneglycol or tri\$4yleneglycol or \$4yleneglycol) adj diacetate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	L41	3485	(di\$4ylene or tri\$4ylene or \$4ylene) adj glycol adj diacetate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
42	L42	ログラフ	37 and (38 39 40 41) and pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	L43	364	42 and acrylic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	L44	0		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	L45	1	wo-200255619-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	L46	1	2002-608348.NRAN.	DERWENT